



Компютърни системи, Софтуер, Мрежи, Следгаранционна поддръжка

www.vespo41.com

Централен офис: (+359 2) 8111 361, 958 9903, central@vespo41.com

Офис УАЦГ: (+359 2) 980 5651, 963 3221 office@vespo41.com

25.2.2007 19:3:26

## ■ Сървъри Vector Si Tower с процесори от Intel®

#	* Vector Si Lite mod. ПТа-631/D/1024M/2x80G (Гаранция: 36 месеца /по компоненти)	732 USD с ДДС
	<b>Шаси:</b> ASUS TA-651 Midi Tower, 12cm fan, Black/Silver, 4x5.25" ext., 1x3.5" ext., 4x3.5" int., front USB; Fortron PSU ATX-350PNF/24PIN/12 cm Fan <b>MainBoard s.775:</b> Foxconn 975X7AA-8EKRS2H s.775 i975X (ATX, 1066MHz, 4 DDR-II DC, 2xPCIe x16, SB, 2x1GbitLAN, 6xSATA II/300-RAID, U133, 4+4xUSB2.0, IEEE-1394) <b>Processor:</b> Intel® Pentium 4 631 3GHz (800MHz, 2MB, Cedar Mill, S775) box <b>RAM DDR2:</b> 2 x 512MB Transcend TS64MLQ72V6J, DDR2-667 Module, ECC, Unbuffered <b>Graphics adapter:</b> GF 6200, PCI Express, 64MB GDDR2, 64 bit, D-SUB, TV OUT, DVI-I, Screen-Cooling <b>HDD SATA-II:</b> 2 x 160GB HITACHI GST Deskstar T7K250 7200rpm 8MB cache SATA II-300 <b>FDD:</b> 3.5 inch 1.44MB <b>ODD:</b> DVD-ROM 16x/48x IDE <b>Keyboard, Mouse:</b> Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5 <b>Опции:</b> 1, 2, 3, 4, 5, 22, 23	
#	* Vector Si Lite mod. ПТа-D915/CWD/1024M/2x160G (Гаранция: 36 месеца /по компоненти)	838.4 USD с ДДС
	<b>Шаси:</b> Asus TA-662 Midi Tower, ATX 400W Fortron, 12cm fan, 4x5.25" & 1x3.5" ext., 4x3.5" int., Silver, front USB <b>MainBoard s.775:</b> Foxconn 975X7AA-8EKRS2H s.775 i975X (ATX, 1066MHz, 4 DDR-II DC, 2xPCIe x16, SB, 2x1GbitLAN, 6xSATA II/300-RAID, U133, 4+4xUSB2.0, IEEE-1394) <b>Processor:</b> Intel® Pentium D 915 2.8GHz (800MHz, 2x2048KB, Presler, EM64T, Dual Core) box <b>RAM DDR2:</b> 2 x 512MB Transcend TS64MLQ72V6J, DDR2-667 Module, ECC, Unbuffered <b>Graphics adapter:</b> PCI-Express X16 Nvidia GeForce 6200 64MB/32 bit DDR, DVI, Video-OUT, Heatsink <b>HDD SATA-II:</b> 2 x 160GB HITACHI GST Deskstar T7K250 7200rpm 8MB cache SATA II-300 <b>FDD:</b> 3.5 inch 1.44MB <b>ODD:</b> LITE ON SOHC-5236V DVD-ROM/CD-RW 16x/52x32x52x, ATAPI <b>Keyboard, Mouse:</b> Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5 <b>Опции:</b> 1, 3, 4, 5, 21, 23	
#	* Vector Si mod. ДТа-E4300/D/1024M/2x160G (Гаранция: 36 месеца /по компоненти)	1151 USD с ДДС
	<b>Шаси:</b> Chieftec CH-01B-B-SL, 550W PSU - EATX, Black/Silver, (DxWxH): 530x205x460, 3x 5 1/4" 7x 3,5", 2x USB 2.0, 1x 1394 Firewire, Mic-in and Line-out, 1x 120mm back <b>MainBoard s.775:</b> SuperMicro PDSML-LN2+ (Core 2 Duo and Xeon 3000), mATX, intel 7230, max 8GB DDRII 533/667, 4x SATA (RAID 0,1,5,10), 2x 1Gbit LAN, IPMI 2.0 (AOC-1U-IPMI-B), onboard SVGA 16MB <b>Processor:</b> Intel® Core 2 Duo E4300 1.8GHz (800MHz, 2MB, Allendale, S775) box <b>RAM DDR2 ECC:</b> 2 x 512MB Transcend TS64MLQ72V5J DDR2-533 ECC Module <b>Graphics adapter:</b> Embedded ATI ES1000 SVGA with 16 MB DDR RAM <b>HDD SATA-II:</b> 2 x 160GB HITACHI GST Deskstar T7K250 7200rpm 8MB cache SATA II-300 <b>FDD:</b> 3.5 inch 1.44MB <b>ODD:</b> DVD-ROM 16x/48x IDE <b>Keyboard, Mouse:</b> Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5 <b>Опции:</b> 1, 2, 3, 4, 5, 7, 8, 9, 10, 22, 23, 24	
#	* Vector Si mod. ХТа-х3040/D/1024M/2x200G (Гаранция: 36 месеца /по компоненти)	1220 USD с ДДС
	<b>Шаси:</b> Chieftec CH-01B-B-SL case, BLACK&SILVER, Ext. ATX, EPS 550W PS, 1x3.5", 3x5.25" 6x3.5"HDD, w/ 2xUSB, 1xFirewire & Audio, h460x205x530 mm <b>MainBoard X Dual Core:</b> SuperMicro PDSML-LN2+ (Core 2 Duo and Xeon 3000), mATX, intel 7230, max 8GB DDRII 533/667, 4x SATA (RAID 0,1,5,10), 2x 1Gbit LAN, IPMI 2.0 (AOC-1U-IPMI-B), onboard SVGA 16MB <b>Processor:</b> Dual-Core Xeon 3040 1.86GHz (1066MHz, 2MB, Allendale, S775) Active Heatsink, box <b>RAM DDR2 ECC:</b> 2 x 512MB Transcend TS64MLQ72V6J, DDR2-667 Module, ECC, Unbuffered <b>Graphics adapter:</b> Embedded ATI ES1000 SVGA with 16 MB DDR RAM <b>HDD SATA-II:</b> 2 x 200GB HITACHI GST Deskstar T7K250 7200rpm 8.192kB cache Serial ATA II-300	

FDD: 3.5 inch 1.44MB  
 ODD: DVD-ROM 16x/48x IDE  
 Keyboard, Mouse: Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5  
 Опции: 1, 2, 3, 4, 5, 6, 7, 8, 10, 22, 23, 24

---

# \* Vector Si mod. X2Ta-5030/D/1024M/2x200G (Гарантия: 36 месеца /по компоненти) 1413 USD с ДДС

---

Шаси: Chieftec CH-01B-B-SL case, BLACK&SILVER, Ext. ATX, EPS 550W PS, 1x3.5", 3x5.25" 6x3.5"HDD, w/ 2xUSB, 1xFirewire & Audio, h460x205x530 mm  
 MainBoard Dual Xeon: SuperMicro X7DVL-E, ATX, intel 5000V, max 16GB DDR2 667&533 FB-DIMM, 6x SATAII (RAID 0,1,5,10), IPMI 2.0 (AOC-SIMLC), 2x1GB, onboard VGA 16MB  
 Processor: Dual-Core Xeon 5030 2.67GHz (667MHz, 4000KB, Dempsey, S771) Active Heatsink, box  
 RAM DDR2 ECC FB: 2 x 512MB 64Mx8/CL5 Transcend TS64MFB72V6J-T, 72bit DDR2 PC2-5300 FB-DIMM 1.8V SDRAM (AMB 1.5V)  
 Graphics adapter: Embedded ATI ES1000 SVGA with 16 MB DDR RAM  
 HDD SATA-II: 2 x 200GB HITACHI GST Deskstar T7K250 7200rpm 8.192kB cache Serial ATA II-300  
 FDD: 3.5 inch 1.44MB  
 ODD: DVD-ROM 16x/48x IDE  
 Keyboard, Mouse: Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5  
 Опции: 1, 11, 12, 13, 14, 15, 16, 17, 18, 22, 23, 24

---

# \* Vector Si mod. X2Tahrp-5110/D/2048M/4x160G (Гарантия: 36 месеца /по компоненти) 2144 USD с ДДС

---

Шаси: Chassis INTEL SC5299BRP, 6U Rack-Mountable, Extended ATX, PSU 650W (optional RP), 2x5.25" + 1x3.5" FDD, 6x3.5" HDD (optional Hot-Swap)  
 MainBoard Dual X: SuperMicro X7DVL-E, ATX, intel 5000V, max 16GB DDR2 667&533 FB-DIMM, 6x SATAII (RAID 0,1,5,10), IPMI 2.0 (AOC-SIMLC), 2x1GB, onboard VGA 16MB  
 Processor: Dual-Core Xeon 5110 1.6GHz (1066MHz, 4MB, Woodcrest, S771) Passive Heatsink, box  
 RAM DDR2 ECC FB: 2 x 1GB 64Mx8/CL5 Transcend TS128MFB72V6J-T, 72bit DDR2 PC2-5300 FB-DIMM 1.8V SDRAM (AMB 1.5V)  
 Graphics adapter: Embedded ATI ES1000 SVGA with 16 MB DDR RAM  
 HDD SATA-II: 4 x 160GB HITACHI GST Deskstar T7K250 7200rpm 8.192kB cache Serial ATA II-300  
 FDD: 3.5 inch 1.44MB  
 ODD: DVD-ROM 16x/48x IDE  
 Keyboard, Mouse: Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5  
 Опции: 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24

---

# \* Vector Si Storage X2Tahrp-5120/D/2048M/7x500G-R (Гарантия: 36 месеца /по компоненти) 4800 USD с ДДС

---

Шаси: SuperMicro SC745TQ-R800 - Ext. ATX, Redundant 800W Power Supply, 8x 3.5" SAS/SATA HS Drive Bays, 1x FDD (Optional), 2x 5 1/4"  
 MainBoard Dual X SATA-II: SuperMicro X7DB3, Ext. ATX, intel 5000P, max 32GB DDR2 667&533 FB-DIMM), AIC-9410 SAS + ( Zero Channel), 6x SATAII (RAID 0,1,5,10), IPMI 2.0 (AOC-SIMLP-B), 2x1GB, onboard VGA 16MB  
 Processor: Dual-Core Xeon 5120 1.86GHz (1066MHz, 4MB, Woodcrest, S771) Active Heatsink, box  
 RAM DDR2 ECC FB: 2 x 1GB Transcend TS128MFB72V6J-T (72bit DDR2 PC2-5300 128Mx72 FB-DIMM /64Mx8/CL5)  
 Graphics adapter: Embedded ATI ES1000 SVGA with 16 MB DDR RAM  
 Zero Channel RAID: AOC-LPZCR2, supports SATA, SATAII, SAS, SCSI MBs, RAID (0,1,5,10 and 50(SAS & SATA Only)), for 64-bit 100MHz PCI-X ZCR, 600MHz CPU, 256 MB Cache  
 HDD SATA-II: 7 x 500GB Seagate Barracuda 7200.10 with NCQ 7200rpm 16MB cache Serial ATA II-300  
 FDD, ODD: FDD 3.5 inch 1.44MB, DVD-ROM 16x/48x IDE  
 Keyboard, Mouse: Genius Comfy KB-06X Black PS2 + NetScroll Eye Black PS/2 S5  
 Опции: 11, 12, 13, 14, 15, 16, 17, 18, 22, 23

---

# \* Vector Si SQL X2Tshrp-5120/D/4096M/4x146G-R (Гарантия: 36 месеца /по компоненти) 5900 USD с ДДС

---

Шаси: SuperMicro SC743S1-R760 Tower (4U rack conv), Extended ATX, EPS 760 Redundant PS, 1x3.5", 2x5.25" ext.; 8 x SCSI HS, 2xUSB front, 178x437x648 mm  
 MainBoard Dual X SCSI: SuperMicro X7DB8 - Ext. ATX, intel 5000P, max 32GB DDR2 667&533 FB-DIMM), AIC-7902 SCSI + (Zero Channel), 6x SATAII (RAID 0,1,5,10), IPMI 2.0 (AOC-SIMLP-B), 2x1GB, onboard VGA 16MB  
 Processor: 2 x Dual-Core Xeon 5120 1.86GHz (1066MHz, 4MB, Woodcrest, S771) Active Heatsink, box  
 RAM DDR2 ECC FB: 4 x 1GB Transcend TS128MFB72V6J-T (72bit DDR2 PC2-5300 128Mx72 FB-DIMM /64Mx8/CL5)  
 Graphics adapter: Embedded ATI ES1000 SVGA with 16 MB DDR RAM  
 Zero Channel RAID: AOC-LPZCR2, supports SATA, SATAII, SAS, SCSI MBs, RAID (0,1,5,10 and 50(SAS & SATA Only)), for 64-bit 100MHz PCI-X ZCR, 600MHz CPU, 256 MB Cache  
 HDD U320 SCA: 4 x 146GB 10K U320 SCSI Pluggable Hard Drive WW  
 FDD, ODD: FDD 3.5 inch 1.44MB, DVD-ROM 16x/48x IDE

Keyboard: Genius Comfy KB-06X Black PS2  
 Опции: 11, 12, 13, 14, 15, 16, 17, 18, 22, 23

#	* Опции
1.:	Chieftec SNT-3141 SATA - Hotswap BOX for 4 HDD in 3x 5.25", SATA Backplane, 4x SATA cable (120cm) » <b>\$131.0 с ДДС</b>
2.:	Intel® Pentium D 915 2.8GHz (800MHz, 4096KB, Presler,S775) box » <b>\$144.60 с ДДС</b>
3.:	Intel® Pentium D 945 3.4GHz (800MHz, 4096KB, Presler,S775) box » <b>\$236.0 с ДДС</b>
4.:	2 x 512MB 64Mx8/CL5 Transcend TS64MLQ72V6J, 72bit DDR2 PC2-5300 1.8V SDRAM » <b>\$202.0 с ДДС</b>
5.:	2 x 1GB 64Mx8/CL5 Transcend TS128MLQ72V6J, 72bit DDR2 PC2-5300 1.8V SDRAM » <b>\$385.0 с ДДС</b>
6.:	Intel® Core 2 Duo E4300 1.8GHz (800MHz, 2MB, Allendale, S775) box » <b>\$234.6 с ДДС</b>
7.:	Intel® Core 2 Duo E6300 1.86GHz (1066MHz, 2MB, Conroe, S775) box » <b>\$264.6 с ДДС</b>
8.:	Intel® Core 2 Duo E6400 (2.13GHz / 1066MHz, 2MB, Conroe, S775) box » <b>\$319.0 с ДДС</b>
9.:	Dual-Core Xeon 3040 1.86GHz (1066MHz, 2MB, Allendale, S775) Active Heatsink, box » <b>\$281.0 с ДДС</b>
10.:	Dual-Core Xeon 3050 2.13GHz (1066MHz, 2MB, Allendale, S775) Active Heatsink, box » <b>\$342.3 с ДДС</b>
11.:	2 x 512MB 64Mx8/CL5 Transcend TS64MFB72V6J-T, 72bit DDR2 PC2-5300 FB-DIMM 1.8V SDRAM (AMB 1.5V) » <b>\$259.0 с ДДС</b>
12.:	2 x 1GB 64Mx8/CL5 Transcend TS128MFB72V6J-T, 72bit DDR2 PC2-5300 FB-DIMM 1.8V SDRAM (AMB 1.5V) » <b>\$428.2 с ДДС</b>
13.:	Dual-Core Xeon 5030 2.67GHz (667MHz, 4000KB, Dempsey, S771) Active Heatsink, box » <b>\$233.2 с ДДС</b>
14.:	Dual-Core Xeon 5050 3GHz (667MHz, 4000KB, Dempsey, S771) Active Heatsink, box » <b>\$302.8 с ДДС</b>
15.:	Dual-Core Xeon 5110 1.6GHz (1066MHz, 4MB, Woodcrest, S771) Active Heatsink, box » <b>\$323.2 с ДДС</b>
16.:	Dual-Core Xeon 5120 1.86GHz (1066MHz, 4MB, Woodcrest, S771) Active Heatsink, box » <b>\$405.0 с ДДС</b>
17.:	Dual-Core Xeon 5130 2GHz (1333MHz, 4MB, Woodcrest, S771) Active Heatsink, box » <b>\$481.3 с ДДС</b>
18.:	Dual-Core Xeon 5140 2.33GHz (1333MHz, 4MB, Woodcrest, S771) Active Heatsink, box » <b>\$676.3 с ДДС</b>
19.:	INTEL APP4650WPSU Power Supply - redundant, 650W for SC5299BRP » <b>\$235.9 с ДДС</b>
20.:	INTEL AXH6DRV3G 6-drive SAS/SATA backplane (requires 6 SAS or SATA ports) for SC5400, SC5299 » <b>\$237.2 с ДДС</b>
21.:	LITE ON SHD-16P1S DVD-ROM 16x/48x, ATAPI, Black » <b>\$21.2 с ДДС</b>
22.:	LITE ON SOHC-5236V DVD-ROM/CD-RW 16x/52x32x52x, ATAPI, Black » <b>\$28.7 с ДДС</b>
23.:	LITE ON Super AllWrite SHM-165P6S DVD±RW/ DVD±R9 /DVD-RAM 16x8x16x/ 16x6x /8x4x/ 5x/48x24x48x, ATAPI » <b>\$43.7 с ДДС</b>
24.:	RAID INTEL SRCS28X Serial ATA II-300 8-channel, PCI-X; 128MB (RAID levels: 0, 1, 50, 10, 5) » <b>\$624.6 с ДДС</b>

#### Бележки:

- Цените са посочени с включен ДДС, франко склад на доставчика!
- Посочените по-горе цени са валидни до изчерпване на складовите наличности!
- Поради динамиката на компютърния пазар Веспо 41 ООД запазва правото си да променя посочените тук цени без предупреждение!
- Позвънете ни за информация от последната минута!

Централен офис: Веспо 41 ООД, София 1408, ж.к. Стрелбище ул. Деде Агач 19-21  
 тел./факс: (++359 2) 8111 361, 958 9903, central@vespo41.com  
 Офис УАСГ: Веспо 41 ООД, София 1046 бул. "Хр. Смирненски" 1, УАСГ, корп.Б  
 тел./факс: (++359 2) 980 5651, 963 3221 office@vespo41.com

[http://www.vespo41.com/V41\\_VectorSiT.php](http://www.vespo41.com/V41_VectorSiT.php) / [http://www.vespo41.com/V41\\_VectorSiT.pdf](http://www.vespo41.com/V41_VectorSiT.pdf)